


UTECH



Pro-Source

Your premiere partner for global equipment sourcing as well as manufacturing

Pro-Source



About Pro-Source

Pro-Source of the companies can offer its customers a complete solution under a (UTEC) Unlimited Technology Ltd. Our company is providing error less solutions to the broadcasters as well as to the production organizations. We are capable to offer our respected customers every possible benefit linked with a treasure of skilled advice, on ground guidance and well-recognized supply systems.

Since we are such a market kings who hold complete knowledge and skills of industrial technologies, we are quite familiar to the technological, logistical, and monetary hurdles that are placed by the fast growing Television broadcast and whatever is published through print and electronic media and internet. We are here on the field to assist the broadcasting organizations of every kind in order to compete with the challenges, successfully.

Our organization though established in Hong Kong & China but it has the links connected with its branches running all over the world. Pro-Source have highly conversant and dedicated staff having specialization of operations in every type of industries. They have the tendency to provide almost any TV production paraphernalia or transportation need.

Pro-Source are basically a broker and you may say a stockiest having stocks of various products that are used in the field of broadcasting and actual media field. As discussed above, Hong Kong is the origin of the company where we are home secured with our sales team and technological facilities and experts.

Our power to purchase, the user base, variety of facilities and new modern approach has made it possible for us to make big deals with tough terms and conditions on purchase of equipment whenever required, besides providing monitored finance and funding under agreement. We are too flexible and very efficient organization as we are capable to change with the changing moods of market and the requirement of our customers.

■ *Pro-Source Summary*

Pro-Source is proud on developing the most progressive working relationships among producers and clients and since we hold a reputable position in the market there is no hindrance to us in getting valuable solutions to the problems of our clients and that too against a very low price.

This is our belief that daily changing scenarios of market demand high grade industry experience coupled with a very strong agreement of providing services for clients and customer support after execution of sale.

Values We Hold

Pro-Source is proud of having a reasonable back of ethical values that provides ultimate guidance for our daily business.

■ **Reliability**

We are focused on building trust of our proud customers by providing them consistent services abiding by what we promise to them.

■ **Aims and Objectives**

We are focused on providing the standard quality services to our clients at any occasion when they need us and whenever we commit to them for providing some sort of assistance we ensure to make them satisfied.

■ **Frankness**

We have acquired a way of communication in which we share useful info, listen to what clients say and staying with them in every challenge they face.

Purchasing Outsourcing

The team of Pro-source is dedicated on providing our customers whatever can be useful to them in getting excellence in the market. As we are well conversant to understand the tragedies of field, we can help them quite fruitfully.

You must outsource your IPOs to us to get the benefit from fast value, world level capability and results



■ **Lesser overheads & operational hazards**

Those IPOs that have below 10 staff face challenges of high costs on operations and problems of corruption.

■ **High productions and performance**

Any of the IPOs is dependent on execution of process positively which is the basic factor to provide the desired services. It remains a challenge for any under developed IPO to retain the skills of the field.

■ **Flexible global network of operations**

A most seen problem for internal IPOs is making it restricted to a specified country instead of making it globally accessible. When a single IPO is accessible to different countries, it generates a competition. With the help of outsourcing the procurement, IPO is linked to a network where business becomes relatively easier.

Procurement Outsourcing is beneficial in following ways:

- Fast scaling of the global sourcing ability
- Providing follow up when procurement operations fail
- Administering the procurement operations in order to fulfill the localization requirements

World Wide Sourcing

This service of Pro-Source provides you actual value of whatever you procure from global markets.

■ *How to judge the actual value*

Sourcing through direct suppliers is an option for reliable procurement making good savings and relatively better output. Pro-Source ultimate sourcing possibilities can provide the client security that is required to the companies and suppliers.

Procurement
Requirements

**Value
Discovery**

**Selection &
Contracting**

**Procurement
Operations**

Value
Delivered

■ *Control the quality and reliability challenge*

By making strong communication and controlling the suppliers on in the field, Pro-Source make it possible that quality and trust is maintained by dealing the problem from its root cause.

■ *Fast discovery and safe value*

Since we are familiar to what is lying in the field against us we take the customer with us making small step advancement in order to achieve the target without making too much voyage.

Global sourcing helps us providing negotiations with the best commercial terms and defining product specifications required to you.



Our Expertise

This include: Camera Stabilizer, Tripods, Broadcast & Professional Monitor, Lighting, Audio, Video Converter/Extender and HD Camera.

Gallery – Product pictures:

■ *Tripod*

H Series Video Head

- New level of stability and silk smooth for professional fluid and damping video shooting
- Unique Posi- step counter balance system
- Fluid damping adjustment
- QR Plate mounting and safety release



Double Tube Pro Video Tripod


- Carbon fiber material
- Quick twist system
- Tripod installation within several seconds
- Ground spreader feet



■ *Lighting*

Professional LED Panel

- Variable temperature 3000K-7000K
- Support V-mount battery, Sony DV battery or AC power
- 0.5m 16000Lux
- 1m 45000Lux



■ **Broadcast & Professional Monitor**

Field Monitor

- Resolution: 1024x600
- Input Signals: 3G-SDI,HD-SDI,SD-SDI,HDMI
- Output Signals: 3G-SDI,HD-SDI,SD-SDI,HDMI
- 5D II Camera Mode (DSLR Ratio Adjustment)
- Peaking Filter in Red/Blue/yellow (Focus Assist)
- Underscan/ Overscan
- Color Tempt. Adjust
- Pixel-to-Pixel Mode
- Time Code Display



Electronic View finder (EVF)

- 3.5 inch 800x480 pixels LCD screen
- Viewing Angle: 80°/80°(L/R) 80°/80°(U/D)
- Output Signals: 3G-SDI,HD-SDI,SD-SDI,HDMI
- Input: HDMI
- Output: HDMI; 3.5mm audio output
- 480i,480p,576i,576p,720p,1080i,1080p (50/60Hz)



Rack-Mount Monitor

- Dual 7" rack monitors feature two attractive TFT panels
- 1024x600 resolution
- 150° wide viewing angles
- Input: Video, Audio, YPbPr, HDMI, n3G-SDI
- Output: Video, HDMI,3G-SDI



32 Multi-Touch Screen

- Thinnest Touch Overlay Ever
- Sample rate up to 200 fps
- Ultra-smooth Mighty Glass
- Built-in IP64 Waterproof
- USB Powered
- Multi-Touch over Air



■ Video Convertor/ Extender

SDI To HDMI Convertor

- Input: 720p50/59.94/60, 1080i 50/59.94/60, 1080p23.98, 1080p24, 1080p@25Hz, 1080p@29.97Hz, 1080p@30Hz, 1080P@60Hz
HD-SDI/SDI, SMPTE-259/274/292/296
- HDMI(8-bit RGB 4:4:4) with embedded audio
- 1 Looping SDI/HD-SDI output, the Converter does not encode the HDMI output with HDCP encryption



HDMI Extender

- Full HD support: 1080p@60Hz@48 b/pixels, 3D and 4Kx2K
- Extends up to 328 feet (100 meters) using one CAT5e (or better) cable
- Allows IR remote control of source devices
- Supports high bit-rate audio formats (Dolby TrueHD / DTS Master Audio)



HDMI Repeater

- Extend via HDMI cable
- the distance up to 50 meters.
- No need outside power supply
- No system control required
- Support 3D video formats
- CEC Pass-Through
- Signaling rates up to 2.25Gbps in support of UXGA and 1080P display
- 40dB receiver equalization



HDMI 30m Extender

- One pair as a full functional module, no need of setting
- Dual UTP cables (Cat5E/6; IEEE-568B)
- Up to 30 meters under the video format of 1080P
- With ESD protection inside
- Support 3D video formats
- CEC Pass-Through



■ **Chrome Set Accessories**

Chrome Key Background Stand

- 2 x lightstand able to extend to 8 feet
- 4 x sectional crossbar range up to 10 feet



Chrome Key Green Screen

- 10 x 12 Feet Chromakey green muslin backdrop
- 100% cotton
- completely seamless(ONE piece)
- Stitched edge for durability
- Easy to fold
- Machine washable



■ **HD Camera**

HD 1080i Camera

- HD 1/2.8 CMOS Sensor, can Reach 2.7 Mega Pixel
- Supports HD-SDI, DVI, Ypbpr, HDMI, and DVI to VGA output
- Video Format: 1080P/30, 1080P/25, 1080i/60, 1080i/50, 720p/60, 720p/50
- Support IR wireless remote control P/T/Z
- Minimum Illumination 0.1Lux



HD 1080/60P/50P Camera

- 1/2.8 Exmor™ CMOS 2.0 Megapixel Sensor
- HD: DVI, HDMI, HD-SDI, Ypbpr; DVI Converts to HDMI; DVI and Ypbpr in one output
- Video Format: 1080P/60, 1080P/50, 1080P/30, 1080P/25, 1080i/60, 1080i/50, 720P/60, 720P/50, PAL & NTSC
- Support IR wireless remote control P/T/Z
- Minimum Illumination 0.1 Lux at F1.6



■ *Camera Stabilizer*

BVE UF Ring-RS10

- Single-axis gyro sled stabilizer
- Roll axis control for fast response and stable shooting.
- Mix and split arbitrarily to own habit and shooting requirements.
- Mounted display with extra gyro for smooth shooting operation.



BVE UF Ring-LW10

- Shoulder mount design single-axis gyro stabilize
- Ergonomic design for video professionals
- Reduce your workload for long hours shooting
- Remove jitter troubles during shooting
- Multi camera controls in one device



Pro-Source

Flat C3, 6/F Tai King Industrial Building,
100-102 King Fuk Street,
San Po Kong, Kowloon, Hong Kong.

T: +852 2363 9110 M: info@utec.asia

www.utec.asia